Contents:

Volume 151, Number 1, October 2, 2000

In Brief

Regulating organelle transport.
In vitro endocytic vesicle sorting system.
Two isoforms of agrin.
P-selectin sorting pathway.
Controlling mRNA stability.
A.W. Dove

Regular Articles

1 **Protein ligands to HuR modulate its interaction with target mRNAs in vivo.**
C.M. Brennan, I.-E. Gallouzi, and J.A. Steitz

15 **Tea2p is a kinesin-like protein required to generate polarized growth in fission yeast.**
H. Browning, J. Hayles, J. Mata, L. Aveline, P. Nurse, and J.R. McIntosh

29 **Cortactin localization to sites of actin assembly in lamellipodia requires interaction with F-actin and the Arp2/3 complex.**
S.A. Weed, A.V. Karginov, D.A. Schafer, A.M. Weaver, A.W. Kinley, J.A. Cooper, and J.T. Parsons

41 **Agrin isoforms with distinct amino termini: Differential expression, localization, and function.**
R.W. Burgess, W.C. Skarnes, and J.R. Sanes

53 **Synbindin, a novel syndecan-2–binding protein in neuronal dendritic spines.**
I.M. Ethell, K. Hagihara, Y. Miura, F. Irie, and Y. Yamaguchi

69 **Endoplasmic reticulum degradation requires lumen to cytosol signaling: Transmembrane control of Hrd1p by Hrd3p.**
R.G. Gardner, G.M. Swarbrick, N.W. Bays, S.R. Cronin, S. Wilhovsky, L. Seelig, C. Kim, and R.Y. Hampton

83 **Dishevelled-1 regulates microtubule stability: A new function mediated by glycogen synthase kinase-3β.**
O. Krylova, M.J. Messenger, and P.C. Salinas

95 **Meiotic telomere protein Ndj1p is required for meiosis-specific telomere distribution, bouquet formation and efficient homologue pairing.**
E. Trelles-Sticken, M.E. Dresser, and H. Scherthan

107 **Rapid transport of internalized P-selectin to late endosomes and the TGN: Roles in regulating cell surface expression and recycling to secretory granules.**°
K.S. Straley and S.A. Green

117 **Glycogen synthase kinase-3β is a negative regulator of cardiomyocyte hypertrophy.**
S. Haq, G. Choukroun, Z.B. Kang, H. Ranu, T. Matsui, A. Rosenzweig, J.D. Molkentin, A. Alessandrini, J. Woodgett, R. Hajjar, A. Michael, and T. Force

131 **Functional redundancy in the maize meiotic kinetochore.**
H.-G. Yu and R.K. Dawe

143 **Assembly of myelin by association of proteolipid protein with cholesterol- and galactosylceramide-rich membrane domains.**
M. Simons, E.-M. Krämer, C. Theile, W. Stoffel, and J. Trotter

155 **Dynein, dynactin, and kinesin II's interaction with microtubules is regulated during bidirectional organelle transport.**
E.L. Reese and L.T. Haimo

167 **Spontaneous release of cytosolic proteins from posttranslational substrates before their transport into the endoplasmic reticulum.**
K. Plath and T.A. Rapoport

Reports

179 **Microtubule and motor-dependent endocytic vesicle sorting in vitro.**
E. Bananis, J.W. Murray, R.J. Stockert, P. Satir, and A.W. Wolkoff

187 **Regulated interactions between dynamin and the actin-binding protein cortactin modulate cell shape.**
M.A. McNiven, L. Kim, E.W. Krueger, J.D. Orth, H. Cao, and T.W. Wong

°The online version of this article contains supplemental material.

Volume 151, Number 2, October 16, 2000

In Brief

Making mitchondria.
Fusion requirements.
Autophagy gets modified.
W.A. Wells

Comments

F1 **A mitochondrial division apparatus takes shape.**
A.M. van der Bliek

F5 **The complexity and redundancy of epothelial barrier function.**
P.M. Steinert

F9 **HIV-1 membrane fusion: Targets of opportunity.**
R.W. Doms and J.P. Moore

Regular Articles

199 **Selective accumulation of raft-associated membrane protein LAT in T cell receptor signaling assemblies.**
T. Harder and M. Kuhn

209 **Ectodomain shedding of epidermal growth factor receptor ligands is required for keratinocyte migration in cutaneous wound healing.**
S. Tokumaru, S. Higashiyama, T. Endo, T. Nakagawa, J.-i. Miyagawa, K. Yamamori, Y. Hanakawa, H. Ohmoto, K. Yoshino, Y. Shirakata, Y. Matsuzawa, K. Hashimoto, and N. Taniguchi

221 **A novel member of the netrin family, β-netrin, shares homology with the β chain of laminin: Identification, expression, and functional characterization.**
M. Koch, J.R. Murrell, D.D. Hunter, P.F. Olson, W. Jin, D.R. Keene, W.J. Brunken, and R.E. Burgeson

235 **Indications for a novel muscular dystrophy pathway: γ-Filamin, the muscle-specific filamin isoform, interacts with myotilin.**
P.F.M. van der Ven, S. Wiesner, P. Salmikangas, D. Auerbach, M. Himmel, S. Kempa, K. Hayeß, D. Pacholsky, A. Taivainen, R. Schröder, O. Carpén, and D.O. Fürst

249 **Role of the PI3K regulatory subunit in the control of actin organization and cell migration.**
C. Jiménez, R.A. Portela, M. Mellado, J.M. Rodríguez-Frade, J. Collard, A. Serrano, C. Martínez-A, J. Avila, and A.C. Carrera

263 **The reversible modification regulates the membrane-binding state of Apg8/Aut7 essential for autophagy and the cytoplasm to vacuole targeting pathway.**
T. Kirisako, Y. Ichimura, H. Okada, Y. Kabeya, N. Mizushima, T. Yoshimori, M. Ohsumi, T. Takao, T. Noda, and Y. Ohsumi

277 **Characterization of the signal that directs Tom20 to the mitochondrial outer membrane.**
S. Kanaji, J. Iwahashi, Y. Kida, M. Sakaguchi, and K. Mihara

289 **TRAPP stimulates guanine nucleotide exchange on Ypt1p.**
W. Wang, M. Sacher, and S. Ferro-Novick

297 **Sorting of yeast membrane proteins into an endosome-to-Golgi pathway involves direct interaction of their cytosolic domains with Vps35p.**
S.F. Nothwehr, S.-A. Ha, and P. Bruinsma

311 **Decreased c-Src expression enhances osteoblast differentiation and bone formation.**
M. Marzia, N.A. Sims, S. Voit, S. Migliaccio, A. Taranta, S. Bernardini, T. Faraggiana, T. Yoneda, G.R. Mundy, B.F. Boyce, R. Baron, and A. Teti

321 **Selective dirsuption of nuclear import by a functional mutant nuclear transport carrier.**
C.M. Lane, I. Cushman, and M.S. Moore

333 **Gag3p, an outer membrane protein required for fission of mitochondrial tubules.**
P. Fekkes, K.A. Shepard, and M.P. Yaffe

341 **The dynamin-related GTPase, Mgm1p, is an intermembrane space protein required for maintenance of fusion competent mitochondria.**
E.D. Wong, J.A. Wagner, S.W. Gorsich, J.M. McCaffery, J.M. Shaw, and J. Nunnari

353 **Mdv1p is a WD repeat protein that interacts with the dynamin-related GTPase, Dnm1p, to trigger mitochondrial division.**
Q. Tieu and J. Nunnari

367 **Dnm1p GTPase-mediated mitochondrial fission is a multi-step process requiring the novel integral membrane component Fis1p.**
A.D. Mozdy, J.M. McCaffery, and J.M. Shaw

381 **Targeted ablation of the murine involucrin gene.**
P. Djian, K. Easley, and H. Green

389 **Lessons from loricrin-deficient mice: Compensatory mechanisms maintaining skin barrier function in the absence of a major cornified envelope protein.**
P.J. Koch, P.A. de Viragh, E. Scharer, D. Bundman, M.A. Longley, J. Bickenbach, Y. Kawachi, Y. Suga, Z. Zhou, M. Huber, D. Hohl, T. Kartasova, M. Jarnik, A.C. Steven, and D.R. Roop

401 **Transgenic mice expressing a mutant form of loricrin reveal the molecular basis of the skin diseases, Vohwinkel syndrome and progressive symmetric erythrokeratoderma.**
Y. Suga, M. Jarnik, P.S. Attar, M.A. Longley, D. Bundman, A.C. Steven, P.J. Koch, and D.R. Roop

413 **Evidence that the transition of HIV-1 gp41 into a six-helix bundle, not the bundle configuration, induces membrane fusion.**
G.B. Melikyan, R.M. Markosyan, H. Hemmati, M.K. Delmedico, D.M. Lambert, and F.S. Cohen

425 **The transmembrane domain of influenza hemagglutinin exhibits a stringent length requirement to support the hemifusion to fusion transition.**
R.T. Armstrong, A.S. Kushnir, and J.M. White

439 **Ordering the final events in yeast exocytosis.**
E. Grote, C.M. Carr, and P.J. Novick

453 **Geranygeranylated SNAREs are dominant inhibitors of membrane fusion.**
E. Grote, M. Baba, Y. Ohsumi, and P.J. Novick

467 **The triad targeting signal of the skeletal muscle calcium channel is localized in the COOH terminus of the α_{1S} subunit.**
B.E. Flucher, N. Kasielke, and M. Grabner

479 ADDITIONS AND CORRECTIONS

481 ADDITIONS AND CORRECTIONS

Volume 151, Number 3, October 30, 2000

In Brief

Assembly of cilia in *Chlamydomonas* and mouse.
Lipid segregation in vesicle formation.
Additional components in C-Vps complex.
Integrin-induced Rac activation.
Data mining yields a plasma membrane fusion protein.
A.W. Dove

Regular Articles

483 **Akt regulates cell survival and apoptosis at a postmitochondrial level.**
H. Zhou, X.-M. Li, J. Meinkoth, and R.N. Pittman

495 **DRAL is a p53-responsive gene whose four and a half LIM domain protein product induces apoptosis.**
F.A. Scholl, P. McLoughlin, E. Ehler, C. de Giovanni, and B.W. Schäfer

507 **Evidence for segregation of sphingomyelin and cholesterol during formation of COPI-coated vesicles.**
B. Brügger, R. Sandhoff, S. Wegehingel, K. Gorgas, J. Malsam, J.B. Helms, W.-D. Lehmann, W. Nickel, and F.T. Wieland

519 **Autophagic tubes: Vacuolar invaginations involved in lateral membrane sorting and inverse vesicle budding.**
O. Müller, T. Sattler, M. Flötenmeyer, H. Schwarz, H. Plattner, and A. Mayer

529 **Cell-free reconstitution of microautophagic vacuole invagination and vesicle formation.**
T. Sattler and A. Mayer

539 **Epidermal growth factor and membrane trafficking: EGF receptor activation of endocytosis requires Rab5a.**
M.A. Barbieri, R.L. Roberts, A. Gumusboga, H. Highfield, C. Alvarez-Dominguez, A. Wells, and P.D. Stahl

551 **New component of the vacuolar class C-Vps complex couples nucleotide exchange on the Ypt7 GTPase to SNARE-dependent docking and fusion.**
A.E. Wurmser, T.K. Sato, and S.D. Emr

563 **Cytokeratins 8 and 19 in the mouse placental development.**
Y. Tamai, T. Ishikawa, M.R. Bösl, M. Mori, M. Nozaki, H. Baribault, R.G. Oshima, and M.M. Taketo

573 **Subcellular distribution of envoplakin and periplakin: Insights into their role as precursors of the epidermal cornified envelope.**
T. DiColandrea, T. Karashima, A. Määttä, and F.M. Watt

587 **A selective transport route from Golgi to late endosomes that requires the yeast GGA proteins.**
M.W. Black and H.R.B. Pelham

601 **Rabenosyn-5, a novel Rab5 effector, is complexed with hVPS45 and recruited to endosomes through a FYVE finger domain.**
E. Nielsen, S. Christoforidis, S. Uttenweiler-Joseph, M. Miaczynska, F. Dewitte, M. Wilm, B. Hoflack, and M. Zerial

613 **Pds5p is an essential chromosomal protein required for both sister chromatid cohesion and condensation in *Saccharomyces cerevisiae*.**
T. Hartman, K. Stead, D. Koshland, and V. Guacci

627 **ACAPs are Arf6 GTPase-activating proteins that function in the cell periphery.**
T.R. Jackson, F.D. Brown, Z. Nie, K. Miura, L. Foroni, J. Sun, V.W. Hsu, J.G. Donaldson, and P.A. Randazzo

639 **D-TITIN: A giant protein with dual roles in chromosomes and muscles.**
C. Machado and D.J. Andrew

653 **Mutational analysis of fibrillarin and its mobility in living human cells.**
S. Snaar, K. Wiesmeijer, A.G. Jochemsen, H.J. Tanke, and R.W. Dirks

663 **Matching of calcineurin activity to upstream effectors is critical for skeletal muscle fiber growth.**
S.E. Dunn, E.R. Chin, and R.N. Michel

673 **The dendritic cell receptor for endocytosis, DED-205, can recycle and enhance antigen presentation via major histocompatibility complex class II-positive lysosomal compartments.**
K. Mahnke, M. Guo, S. Lee, H. Sepulveda, S.L. Swain, M. Nussenzweig, and R.M. Steinman

685 **Evidence that β3 integrin-induced Rac activation involves the calpain-dependent formation of integrin clusters that are distinct from the focal complexes and focal adhesions that form as Rac and RhoA become active.**
K. Bialkowska, S. Kulkarni, X. Du, D.E. Goll, T.C. Saido, and J.E.B. Fox

697 **Localization and activity of myosin light chain kinase isoforms during the cell cycle.**
A. Poperechnaya, O. Varlamova, P.-j. Lin, J.T. Stull, and A.R. Bresnick

709 ***Chlamydomonas IFT88* and its mouse homologue, polycystic kidney disease gene *Tg737*, are required for assembly of cilia and flagella.**
G.J. Pazour, B.L. Dickert, Y. Vucica, E.S. Seeley, J.L. Rosenbaum, G.B. Witman, and D.G. Cole

719 **Prm1p, a pheromone-regulated multispanning membrane protein, facilitates plasma membrane fusion during yeast mating.**
M.G. Heiman and P. Walter

Report

731 **Recycling of the yeast a-factor receptor.**
L. Chen and N.G. Davis

Volume 151, Number 4, November 13, 2000

In Brief

An FtsZ plastoskeleton.
Membrane addition during cellularization.
Presenilins and ubiquilins.
Three out of four.
Does dynein do anything at kinetochores?
W.A. Wells

Comments

F15 **The ups and downs of life in an epithelium.**
H. Krämer

F19 **Skeletons in the closet: How do chloroplasts stay in shape?**
G.I. McFadden

Regular Articles

739 **Dynein is a transient kinetochore component whose binding is regulated by microtubule attachment, not tension.**
J.M. King, T.S. Hays, and R.B. Nicklas

749 **Characterization of vertebrate cohesin complexes and their regulation in prophase.**
I. Sumara, E. Vorlaufer, C. Gieffers, B.H. Peters, and J.-M. Peters

763 **Protein kinase C signaling mediates a program of cell cycle withdrawal in the intestinal epithelium.**
M.R. Frey, J.A. Clark, O. Leontieva, J.M. Uronis, A.R. Black, and J.D. Black

779 **Differential expression of lumican and fibromodulin regulate collagen fibrillogenesis in developing mouse tendons.**
Y. Ezura, S. Chakravarti, Å. Oldberg, I. Chervoneva, and D.E. Birk

789 **Fission yeast myosin-I, Myo1p, stimulates actin assembly by Arp2/3 complex and shares functions with WASp.**
W.-L. Lee, M. Bezanilla, and T.D. Pollard

801 **c-Jun activation-dependent tumorigenic transformation induced paradoxically by overexpression or block of *S*-adenosylmethionine decarboxylase.**
A. Paasinen-Sohns, M. Kielosto, E. Kääriäinen, T. Eloranta, A. Laine, O.A. Jänne, M.J. Birrer, and E. Hölttä

811 **CaM kinase IV regulates lineage commitment and survival of erythroid progenitors in a non-cell–autonomous manner.**
G.A. Wayman, M.J. Walters, K. Kolibaba, T.R. Soderling, and J.L. Christian

825 **Exogenous expression of the amino-terminal half of the tight junction protein ZO-3 perturbs junctional complex assembly.**
E.S. Wittchen, J. Haskins, and B.R. Stevenson

837 **The centrosomal protein C-Nap1 is required for cell cycle–regulated centrosome cohesion.**
T. Mayor, Y.-D. Stierhof, K. Tanaka, A.M. Fry, and E.A. Nigg

847 **Identification of ubiquilin, a novel presenilin interactor that increases presenilin protein accumulation.**
A.L. Mah, G. Perry, M.A. Smith, and M.J. Monteiro

863 **Mechanism of metabolic control: Target of rapamycin signaling links nitrogen quality to the activity of the Rtg1 and Rtg3 transcription factors.**
A. Komeili, K.P. Wedaman, E.K. O'Shea, and T. Powers

879 **Matrix metalloproteinase 9 and vascular endothelial growth factor are essential for osteoclast recruitment into developing long bones.**
M.T. Engsig, Q.-J. Chen, T.H. Vu, A.-C. Pedersen, B. Therkidsen, L.R. Lund, K. Henriksen, T. Lenhard, N.T. Foged, Z. Werb, and J.-M. Delaissé

891 **Apical, lateral, and basal polarization cues contribute to the development of the follicular epithelium during *Drosophila* oogenesis.**
G. Tanentzapf, C. Smith, J. McGlade, and U. Tepass

905 **Lava Lamp, a novel peripheral Golgi protein, is required for *Drosophila melanogaster* cellularization.**
J.C. Sisson, C. Field, R. Ventura, A. Royou, and W. Sullivan

919 **The subcellular localization of an aquaporin-2 tetramer depends on the stoichiometry of phosphorylated and nonphosphorylated monomers.**
E.J. Kamsteeg, I. Heijnen, C.H. van Os, and P.M.T. Deen

931 **Connexin43 deficiency causes delayed ossification, craniofacial abnormalities, and osteoblast dysfunction.**
F. Lecanda, P.M. Warlow, S. Sheikh, F. Furlan, T.H. Steinberg, and R. Civitelli

Report

945 **Visualization of a cytoskeleton-like FtsZ network in chloroplasts.**
J. Kiessling, S. Kruse, S.A. Rensing, K. Harter, E.L. Decker, and R. Reski

Volume 151, Number 5, November 27, 2000

In Brief

Caspase-mediated disruption of the nuclear–cytoplasmic barrier.
Chromatin assembly during centromere specification.
Nuclear export of ribosomal subunits.
Mapping cohesin binding sites.
Modulating kinesin processivity.
A.W. Dove

Comments

F23 **The road to ribosomes: Filling potholes in the export pathway.**
J.D. Aitchison and M.P. Rout

F27 **Kinesin processivity.**
E.W. Taylor and G.G. Borisy

Mini-Reviews

F31 **Tight junction, a platform for trafficking and signaling protein complexes.**
A. Zahraoui, D. Louvard, and T. Galli

F37 **The 9 + 2 axoneme anchors multiple inner arm dyneins and a network of kinases and phosphatases that control motility.**
M.E. Porter and W.S. Sale

Regular Articles

951 **Caspases disrupt the nuclear-cytoplasmic barrier.**
L. Faleiro and Y. Lazebnik

961 **Ablation of uroplakin III gene results in small urothelial plaques, urothelial leakage, and vesicoureteral reflux.**
P. Hu, F.-M. Deng, F.-X. Liang, C.-M. Hu, A.B. Auerbach, E. Shapiro, X.-R. Wu, B. Kachar, and T.-T. Sun

973 **Lst1p and Sec24p cooperate in sorting of the plasma membrane ATPase into COPII vesicles in *Saccharomyces cerevisiae.***
Y. Shimoni, T. Kurihara, M. Ravazzola, M. Amherdt, L. Orci, and R. Schekman

985 **βIV spectrin, a new spectrin localized at axon initial segments and nodes of Ranvier in the central and peripheral nervous system.**
S. Berghs, D. Aggujaro, R. Dirkx, Jr., E. Maksimova, P. Stabach, J.-M. Hermel, J.-P. Zhang, W. Philbrick, V. Slepnev, T. Ort, and M. Solimena

1003 **Region-specific microtubule transport in motile cells.**
A.-M.C. Yvon and P. Wadsworth

1013 **Local control of neurofilament accumulation during radial growth of myelinating axons in vivo: Selective role of site-specific phosphorylation.**
I. Sánchez, L. Hassinger, R.K. Sihag, D.W. Cleveland, P. Mohan, and R.A. Nixon

1025 **Dissection of autophagosome biogenesis into distinct nucleation and expansion steps.**
H. Abeliovich, W.A. Dunn Jr., J. Kim, and D.J. Klionsky

1035 **Epitope-tagged P_0 glycoprotein causes Charcot-Marie-Tooth–like neuropathy in transgenic mice.**
S.C. Previtali, A. Quattrini, M. Fasolini, M.C. Panzeri, A. Villa, M.T. Filbin, W. Li, S.-Y. Chiu, A. Messing, L. Wrabetz, and M.L. Feltri

1047 **Chromosomal addresses of the cohesin component Mcd1p.**
S. Laloraya, V. Guacci, and D. Koshland

1057 **Nmd3p is a Crm1p-dependent adapter protein for nuclear export of the large ribosomal subunit.**
J.H.-N. Ho, G. Kallstrom, and A.W. Johnson

1067 **Mutagenesis of the phosphatidylinositol 4,5-bisphosphate (PIP_2) binding site in the NH_2-terminal domain of ezrin correlates with its altered cellular distribution.**
C. Barret, C. Roy, P. Montcourrier, P. Mangeat, and V. Niggli

1081 **Controlling kinesin by reversible disulfide cross-linking: Identifying the motility-producing conformational change.**
M. Tomishige and R.D. Vale

1093 **Engineering the processive run length of the kinesin motor.**
K.S. Thorn, J.A. Ubersax, and R.D. Vale

1101 **The fission yeast Ran GTPase is required for microtubule integrity.**
U. Fleig, S.S. Salus, I. Karig, and S. Sazer

Reports

1113 **Chromatin assembly at kinetochores is uncoupled from DNA replication.**
R.D. Shelby, K. Monier, and K.F. Sullivan

1119 **Phosphorylation of ADF/cofilin abolishes EGF-induced actin nucleation at the leading edge and subsequent lamellipod extension.**
N. Zebda, O. Bernard, M. Bailly, S. Welti, D.S. Lawrence, and J.S. Condeelis

1129 ADDITIONS AND CORRECTIONS

Volume 151, Number 6, December 11, 2000

In Memoriam

Norton B. Gilula (1944–2000): Setting the standard.
S. Schmid

To a scholar, mentor, leader, and friend.
W.J. Nelson

Tribute to Bernie Gilula.
T.D. Pollard

In Brief

Actin polymerization on the edge.
Profiling muscular dystrophy.
Asymmetry and endocytosis.
Making sure p21 is on.
W.A. Wells

Comment

F43 **Muscular dystrophy meets the gene chip: New insights into disease pathogenesis.**
J.S. Chamberlain

Regular Articles

1131 **Coordinate control of muscle cell survival by distinct insulin-like growth factor activated signaling pathways.**
M.A. Lawlor and P. Rotwein

1141 **Nischarin, a novel protein that interacts with the integrin α5 subunit and inhibits cell migration.**
S.K. Alahari, J.W. Lee, and R.L. Juliano

1155 **Nuclear lamins A and B1: Different pathways of assembly during nuclear envelope formation in living cells.**
R.D. Moir, M. Yoon, S. Khuon, and R.D. Goldman

1169 **MAP1B is required for axon guidance and is involved in the development of the central and peripheral nervous system.**
A. Meixner, S. Haverkamp, H. Wässle, S. Führer, J. Thalhammer, N. Kropf, R.E. Bittner, H. Lassmann, G. Wiche, and F. Propst

1179 **Reversal of the Ras-induced transformed phenotype by HR12, a novel Ras farnesylation inhibitor, is mediated by the Mek/Erk pathway.**
H. Reuveni, T. Geiger, B. Geiger, and A. Levitzki

1193 **N-cadherin extracellular repeat 4 mediates epithelial to mesenchymal transition and increased motility.**
J.-B. Kim, S. Islam, Y.J. Kim, R.S. Prudoff, K.M. Sass, M.J. Wheelock, and K.R. Johnson

1207 **Rab11 regulates the compartmentalization of early endosomes required for efficient transport from early endosomes to the trans-Golgi network.**
M. Wilcke, L. Johannes, T. Galli, V. Mayau, B. Goud, and J. Salamero

1221 **Expression of CD34 and Myf5 defines the majority of quiescent adult skeletal muscle satellite cells.**
J.R. Beauchamp, L. Heslop, D.S.W. Yu, S. Tajbakhsh, R.G. Kelly, A. Wernig, M.E. Buckingham, T.A. Partridge, and P.S. Zammit

1235 **Induction of terminal differentiation in epithelial cells requires polymerization of hensin by galectin 3.**
C. Hikita, S. Vijayakumar, J. Takito, H. Erdjument-Bromage, P. Tempst, and Q. Al-Awqati

1247 **Necrotic death pathway in Fas receptor signaling.**
H. Matsumura, Y. Shimizu, Y. Ohsawa, A. Kawahara, Y. Uchiyama, and S. Nagata

1257 **Dynamic shuttling of TIA-1 accompanies the recruitment of mRNA to mammalian stress granules.**
N. Kedersha, M.R. Cho, W. Li, P.W. Yacono, S. Chen, N. Gilks, D.E. Golan, and P. Anderson

1269 **Spatial sensing in fibroblasts mediated by 3′ phosphoinositides.**
J.M. Haugh, F. Codazzi, M. Teruel, and T. Meyer

1281 **Endocytosis and recycling of the HIV coreceptor CCR5.**
N. Signoret, A. Pelchen-Matthews, M. Mack, A.E.I. Proudfoot, and M. Marsh

1295 **p53 regulates myogenesis by triggering the differentiation activity of pRb.**
A. Porrello, M.A. Cerone, S. Coen, A. Gurtner, G. Fontemaggi, L. Cimino, G. Piaggio, A. Sacchi, and S. Soddu

1305 **Differential roles for $\alpha_M\beta_2$ integrin clustering or activation in the control of apoptosis via regulation of Akt and ERK survival mechanisms.**
B.B. Whitlock, S. Gardai, V. Fadok, D. Bratton, and P.M. Henson

1321 **Expression profiling in the muscular dystrophies: identification of novel aspects of molecular pathophysiology.**
Y.W. Chen, P. Zhao, R. Borup, and E.P. Hoffman

Reports

1337 **The cortical protein Num1p is essential for dynein-dependent interactions of microtubules with the cortex.**
R.A. Heil-Chapdelaine, J.R. Oberle, and J.A. Cooper

1345 **Numb is an endocytic protein.**
E. Santolini, C. Puri, A.E. Salcini, M.C. Gagliani, P.G. Pelicci, C. Tacchetti, and P.P. Di Fiore

Volume 151, Number 7, December 25, 2000

In Brief

Ras and neuronal survival.
Role for Wee1 in apoptosis.
Evidence for a spindle matrix.
53BP1 at sites of double-strand breaks.
Histone H2B variant in sperm telomeres.
Apicoplasts hold on.
A.W. Dove

Regular Articles

1353 **Localized biphasic changes in phosphatidylinositol-4,5-bisphosphate at sites of phagocytosis.**
R.J. Botelho, M. Teruel, R. Dierckman, R. Anderson, A. Wells, J.D. York, T. Meyer, and S. Grinstein

1369 **Identification of an outer segment targeting signal in the COOH terminus of rhodopsin using transgenic *Xenopus laevis*.**
B.M. Tam, O.L. Moritz, L.B. Hurd, and D.S. Papermaster

1381 **p53 binding protein 1 (53BP1) is an early participant in the cellular response to DNA double-strand breaks.**
L.B. Schultz, N.H. Chehab, A. Malikzay, and T.D. Halazonetis

1391 **Wee1-regulated apoptosis mediated by the Crk adaptor protein in *Xenopus* egg extracts.**
J.J. Smith, E.K. Evans, M. Murakami, M.B. Moyer, M.A. Moseley, G.V. Woude, and S. Kornbluth

1401 **Skeletor, a novel chromosomal protein that redistributes during mitosis provides evidence for the formation of a spindle matrix.**
D.L. Walker, D. Wang, Y. Jin, U. Rath, Y. Wang, J. Johansen, and K.M. Johansen

1413 **Dual stimulation of Ras/mitogen-activated protein kinase and RhoA by cell adhesion to fibronectin supports growth factor–stimulated cell cycle progression.**
E.H.J. Danen, P. Sonneveld, A. Sonnenberg, and K.M. Yamada

1423 **The plastid of *Toxoplasma gondii* is divided by association with the centrosomes.**

B. Striepen, M.J. Crawford, M.K. Shaw, L.G. Tilney, F. Seeber, and D.S. Roos

1435 **Actopaxin, a new focal adhesion protein that binds paxillin LD motifs and actin and regulates cell adhesion.**

S.N. Nikolopoulos and C.E. Turner

1449 **Temporal and spatial distribution of activated Pak1 in fibroblasts.**

M.A. Sells, A. Pfaff, and J. Chernoff

1459 **In vitro assembly and structure of trichocyte keratin intermediate filaments: A novel role for stabilization by disulfide bonding.**

H. Wang, D.A.D. Parry, L.N. Jones, W.W. Idler, L.N. Marekov, and P.M. Steinert

1469 **Metaphase to anaphase (*mat*) transition–defective mutants in *Caenorhabditis elegans*.**

A. Golden, P.L. Sadler, M.R. Wallenfang, J.M. Schumacher, D.R. Hamill, G. Bates, B. Bowerman, G. Seydoux, and D.C. Shakes

1483 **Flightin is essential for thick filament assembly and sarcomere stability in *Drosophila* flight muscles.**

M.C. Reedy, B. Bullard, and J.O. Vigoreaux

1501 **Cell cycle programs of gene expression control morphogenetic protein localization.**

M. Lord, M.C. Yang, M. Mischke, and J. Chant

1513 **Characterization and reconstitution of *Drosophila* γ-tubulin ring complex subunits.**

R.N. Gunawardane, O.C. Martin, K. Cao, L. Zhang, K. Dej, A. Iwamatsu, and Y. Zheng

1525 **The role of Xgrip210 in γ-tubulin ring complex assembly and centrosome recruitment.**

L. Zhang, T.J. Keating, A. Wilde, G.G. Borisy, and Y. Zheng

1537 **Transgenic activation of Ras in neurons promotes hypertrophy and protects from lesion-induced degeneration.**

R. Heumann, C. Goemans, D. Bartsch, K. Lingenhöhl, P.C. Waldmeier, B. Hengerer, P.R. Allegrini, K. Schellander, E.F. Wagner, T. Arendt, R.H. Kamdem, K. Obst-Pernberg, F. Narz, P. Wahle, and H. Berns

1549 **Activated R-Ras, Rac1, PI 3-kinase and PKCε can each restore cell spreading inhibited by isolated integrin β1 cytoplasmic domains.**

A.L. Berrier, A.M. Mastrangelo, J. Downward, M. Ginsberg, and S.E. LaFlamme

1561 **In vivo analysis of Cajal body movement, separation, and joining in live human cells.**

M. Platani, I. Goldberg, J.R. Swedlow, and A.I. Lamond

Reports

1575 **Human survivin is a kinetochore-associated passenger protein.**

D.A. Skoufias, C. Mollinari, F.B. Lacroix, and R.L. Margolis

1583 **Loss of calpain 3 proteolytic activity leads to muscular dystrophy and to apoptosis-associated IκBα/nuclear factor κB pathway perturbation in mice.**

I. Richard, C. Roudaut, S. Marchand, S. Baghdiguian, M. Herasse, D. Stockholm, Y. Ono, L. Suel, N. Bourg, H. Sorimachi, G. Lefranc, M. Fardeau, A. Sébille, and J.S. Beckmann

1591 **Human sperm telomere–binding complex involves histone H2B and secures telomere membrane attachment.**

A.A. Gineitis, I.A. Zalenskaya, P.M. Yau, E.M. Bradbury, and A.O. Zalensky